

# Safety Data Sheet

## PHANTOM PRESSURIZED INSECTICIDE

Revision date : 2012/03/06  
Version: 3.0

Page: 1/9  
(30468750/SDS\_CPA\_US/EN)

### 1. Product and Company Identification

Company  
BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information  
CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

---

Substance number:	000000383799
Molecular formula:	C15 H11 Br Cl F3 N2 O
Chemical family:	pyrrole derivative
Synonyms:	chlorfenapyr

---

### 2. Hazards Identification

#### Emergency overview

CAUTION:  
KEEP OUT OF REACH OF CHILDREN.  
KEEP OUT OF REACH OF DOMESTIC ANIMALS.  
Avoid contact with the skin, eyes and clothing.  
Avoid inhalation of mists/vapours.  
Wash thoroughly after handling.

See Product Label for additional precautionary statements.

State of matter: liquid  
Colour: amber, cloudy  
Odour: strong, of acetone

#### Potential health effects

##### **Primary routes of exposure:**

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

##### **Acute toxicity:**

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

##### **Irritation / corrosion:**

May cause slight irritation to the skin. May cause slight but temporary irritation to the eyes.

##### **Sensitization:**

There is no evidence of a skin-sensitizing potential.

# Safety Data Sheet

## PHANTOM PRESSURIZED INSECTICIDE

Revision date : 2012/03/06  
Version: 3.0

Page: 2/9  
(30468750/SDS\_CPA\_US/EN)

### **Medical conditions aggravated by overexposure:**

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

### **Potential environmental effects**

#### **Aquatic toxicity:**

Very toxic (acute effect) to aquatic organisms.

#### **Terrestrial toxicity:**

Acutely very toxic to terrestrial organisms.

## 3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
122453-73-0	0.5 %	Chlorfenapyr
64742-47-8	< 10.0 %	Distillates (petroleum), hydrotreated light
67-64-1	< 15.0 %	Acetone
68476-40-4		Hydrocarbons, C3-4
811-97-2		HFC-134A
	>= 75.0 %	Proprietary ingredients

## 4. First-Aid Measures

### **General advice:**

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

### **If inhaled:**

Remove the affected individual into fresh air and keep the person calm.

### **If on skin:**

Wash thoroughly with soap and water.

### **If in eyes:**

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

### **If swallowed:**

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

### **Note to physician**

Antidote: No known specific antidote.  
Treatment: Treat symptomatically.

## 5. Fire-Fighting Measures

Flash point:	approx. -104 °C	Information applies to the propellant.
Lower explosion limit:	1.9 %(V)	Information applies to the solvent.
Upper explosion limit:	13.3 %(V)	Information applies to the solvent.
Flammability of Aerosol	0 cm	(ASTM D 3065
Products:	no flashback	
Flammability:	Extremely flammable.	

# Safety Data Sheet

## PHANTOM PRESSURIZED INSECTICIDE

Revision date : 2012/03/06  
Version: 3.0

Page: 3/9  
(30468750/SDS\_CPA\_US/EN)

**Suitable extinguishing media:**

foam, dry powder, carbon dioxide, water spray

**Hazards during fire-fighting:**

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, halogenated hydrocarbons, Hydrocarbons,  
If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

**Protective equipment for fire-fighting:**

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

**Further information:**

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

## 6. Accidental release measures

**Personal precautions:**

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

**Environmental precautions:**

Do not discharge into the subsoil/soil. Contain contaminated water/firefighting water.

**Cleanup:**

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

**Handling****General advice:**

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

**Protection against fire and explosion:**

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

**Storage****General advice:**

# Safety Data Sheet

## PHANTOM PRESSURIZED INSECTICIDE

Revision date : 2012/03/06  
Version: 3.0

Page: 4/9  
(30468750/SDS\_CPA\_US/EN)

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

### Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

### Temperature tolerance

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

## 8. Exposure Controls and Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

### Components with workplace control parameters

Acetone	OSHA	PEL 1,000 ppm 2,400 mg/m <sup>3</sup> ;
	ACGIH	TWA value 500 ppm ; STEL value 750 ppm ;
Distillates (petroleum), hydrotreated light	ACGIH	TWA value 200 mg/m <sup>3</sup> Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures. Skin Designation Non-aerosol (total hydrocarbon vapor); The substance can be absorbed through the skin.

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

#### **RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves

# Safety Data Sheet

## PHANTOM PRESSURIZED INSECTICIDE

Revision date : 2012/03/06  
Version: 3.0

Page: 5/9  
(30468750/SDS\_CPA\_US/EN)

must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

### 9. Physical and Chemical Properties

Form:	liquid	
Odour:	strong, of acetone	
Colour:	amber, cloudy	
pH value:	approx. 7 - 9	( 5 %(m), approx. 25 °C)
Melting point:		The product has not been tested.
Boiling point:	approx. -12 °C	Information applies to the solvent.
Vapour pressure:	approx. 2000 hPa	( 21 °C) Information applies to the solvent.
Density:	approx. 0.8 g/cm <sup>3</sup>	( 20 °C)
Vapour density:		not determined
Viscosity, dynamic:	2.5 mPa.s	( 26 °C)
Solubility in water:		miscible
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

### 10. Stability and Reactivity

#### Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

#### Substances to avoid:

strong oxidizing agents

#### Hazardous reactions:

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

#### Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

#### Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, halogenated hydrocarbons, Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

#### Corrosion to metals:

Corrosive effects to metal are not anticipated.

#### Oxidizing properties:

Not an oxidizer.

Based on its structural properties the product is not classified as oxidizing.

### 11. Toxicological information

#### Acute toxicity

#### Oral:

# Safety Data Sheet

## PHANTOM PRESSURIZED INSECTICIDE

Revision date : 2012/03/06  
Version: 3.0

Page: 6/9  
(30468750/SDS\_CPA\_US/EN)

Type of value: LD50  
Species: rat (female)  
Value: > 5,000 mg/kg

### Inhalation:

Type of value: LC50  
Species: rat (male/female)  
Value: > 5.2 mg/l  
Exposure time: 4 h

### Dermal:

Type of value: LD50  
Species: rat (male/female)  
Value: > 5,000 mg/kg

### Irritation / corrosion

#### Skin:

Species: rabbit  
Result: non-irritant

#### Eye:

Species: rabbit  
Result: non-irritant

#### Sensitization:

Buehler test  
Species: guinea pig  
Result: Non-sensitizing.

### Repeated dose toxicity

*Information on: Acetone*

*Assessment of repeated dose toxicity:*

*The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.*

-----

### Genetic toxicity

*Information on: Chlorfenapyr*

*No mutagenic effect was found in various tests with microorganisms and mammals.*

-----

### Carcinogenicity

*Information on: Chlorfenapyr*

*In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.*

-----

### Reproductive toxicity

*Information on: Chlorfenapyr*

*The results of animal studies gave no indication of a fertility impairing effect.*

*Information on: Acetone*

*As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.*

-----

### Development:

# Safety Data Sheet

## PHANTOM PRESSURIZED INSECTICIDE

Revision date : 2012/03/06  
Version: 3.0

Page: 7/9  
(30468750/SDS\_CPA\_US/EN)

*Information on: Chlorfenapyr*  
*No indications of a developmental toxic / teratogenic effect were seen in animal studies.*  
-----

**Other Information:**

Misuse can be harmful to health.

---

## 12. Ecological Information

### Fish

*Information on: Chlorfenapyr*  
*Acute:*  
*Oncorhynchus mykiss/LC50 (96 h): 0.007 mg/l*  
-----

### Aquatic invertebrates

*Information on: Chlorfenapyr*  
*Acute:*  
*Daphnia magna/EC50 (48 h): 0.006 mg/l*  
-----

### Aquatic plants

*Information on: Chlorfenapyr*  
*Toxicity to aquatic plants:*  
*green algae/EC50 (72 h): 0.132 mg/l*  
-----

**Other adverse effects:**

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

---

## 13. Disposal considerations

**Waste disposal of substance:**

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container disposal:**

Consult state or local disposal authorities for approved alternative procedures such as container recycling. Do not reuse empty containers.

**RCRA:**

This product is not regulated by RCRA.

---

## 14. Transport Information

**Land transport**

USDOT

Hazard class: 2.2  
ID number: UN 1950

# Safety Data Sheet

## PHANTOM PRESSURIZED INSECTICIDE

Revision date : 2012/03/06  
Version: 3.0

Page: 8/9  
(30468750/SDS\_CPA\_US/EN)

Hazard label: 2.2, EHS  
Proper shipping name: AEROSOLS

### Sea transport

IMDG

Hazard class: 2.2  
ID number: UN 1950  
Hazard label: 2.2, EHS  
Marine pollutant: YES  
Proper shipping name: AEROSOLS

### Air transport

IATA/ICAO

Hazard class: 2.2  
ID number: UN 1950  
Hazard label: 2.2  
Proper shipping name: AEROSOLS, NON-FLAMMABLE

### Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2013, ORM-D will not apply.

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

**OSHA hazard category:** Chronic target organ effects reported; ACGIH TLV established; Flammable Liquid

**EPCRA 311/312 (Hazard categories):** Acute; Chronic

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
5000 LBS	67-64-1	Acetone

### State regulations

#### CA Prop. 65:

There are no listed chemicals in this product.

---

## 16. Other Information

Refer to product label for EPA registration number.

NFPA Hazard codes:



# Safety Data Sheet

## PHANTOM PRESSURIZED INSECTICIDE

Revision date : 2012/03/06

Page: 9/9

Version: 3.0

(30468750/SDS\_CPA\_US/EN)

Health : 1

Fire: 1

Reactivity: 1

Special:

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

### MSDS Prepared by:

BASF NA Product Regulations

msds@basf.com

MSDS Prepared on: 2012/03/06

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET