

SAFETY DATA SHEET
Residual Fogger

SDS #: 6596-A
Revision date: 2021-02-16
Format: NA
Version 1.05



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Residual Fogger

Formula code 50000776

Other means of identification

Product Code(s) 6596-A

Synonyms PIPERONYL BUTOXIDE: Butylcarbityl(6-propylpiperonyl) ether, 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-; N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE: N-(2-ethylhexyl)-5-norbornene-2,3-dicarboximide; N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide; Pyrethrins and Pyrethroids, Pyrethrum

Active Ingredient(s) Pyrethrins, Piperonyl Butoxide, n-Octyl bicycloheptene dicarboximide, Esfenvalerate

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies :
1 800 / 331-3148 (U.S.A. & Canada)
1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status


This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
---------------------------	------------

Serious eye damage/eye irritation	Category 2B
Flammable Aerosols	Category 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

<p>Danger</p> <p>Hazard Statements H315 - Causes skin irritation H320 - Causes eye irritation</p> <p>Physical Hazards H222 - Extremely flammable aerosol H229 - Pressurized container: May burst if heated</p> 

Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling
 P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
 P211 - Do not spray on an open flame or other ignition source
 P251 - Do not pierce or burn, even after use
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P337 + P313 - If eye irritation persists: Get medical advice/ attention
 P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
 P332 + P313 - If skin irritation occurs: Get medical advice/attention
 P362 - Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
Pyrethrins	8003-34-7	0.05
Piperonyl butoxide	51-03-6	0.1
n-Octyl bicycloheptene dicarboximide	113-48-4	0.2
Benzeneacetic acid, 4-chloro-.alpha.-(1-methylethyl)-, cyano (3-phenoxyphenyl)methyl ester, (S-(R*,R*))-	66230-04-4	0.1-1
Propane	74-98-6	10-20
Butane	106-97-5	5-10
Petroleum distillates, hydrotreated light	64742-47-8	5-10
Isobutane	75-28-5	5-10

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	None known.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Small Fire	Dry chemical. Carbon dioxide (CO ₂).
Large Fire	Water spray. Foam.
Unsuitable extinguishing media	Avoid heavy hose streams.
Specific Hazards Arising from the Chemical	Contents under pressure.
Hazardous Combustion Products	See Section 10.
Explosion data	
Sensitivity to Mechanical Impact	No information available.
Sensitivity to Static Discharge	No information available.
Protective equipment and precautions for firefighters	In the event of fire, wear self contained breathing apparatus. Isolate fire area. Evaluate upwind.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	See Section 12 for additional Ecological Information.

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize spill area, tools and equipment by washing with water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. Rinsate may be disposed at a waste water treatment plant.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F (56°C). Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

Incompatible products Strong oxidizing agents. Bases. Powdered earth metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Pyrethrins (8003-34-7)	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 5000 mg/m ³ TWA: 5 mg/m ³	Mexico: TWA 5 mg/m ³
Propane (74-98-6)	:	TWA: 1000 ppm TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³	Mexico: TWA 1000 ppm
Isobutane (75-28-5)	STEL 1000 ppm	-	TWA: 800 ppm TWA: 1900 mg/m ³	Mexico: TWA 1000 ppm
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Pyrethrins (8003-34-7)	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³
Propane (74-98-6)	-	TWA: 1000 ppm TWA: 1800 mg/m ³	TWA:	TWA: 1000 ppm
Petroleum distillates, hydrotreated light (64742-47-8)	TWA: 200 mg/m ³ Skin	-	-	-
Isobutane (75-28-5)	STEL: 1000 ppm	-	STEL: 1000 ppm	-

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the outside of gloves with soap and water before reuse. Check regularly for leaks.

Residual Fogger

SDS #: 6596-A
Revision date: 2021-02-16
Version 1.05

Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Mist
Physical State	Aerosol
Color	No information available
Odor	Mild
Odor threshold	No information available
pH	6.59
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	66.7 °C / 152 °F Tag Closed Cup
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	8.28 lb/gal
Specific gravity	No information available
Water solubility	Soluble in water
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	Not applicable
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	To avoid thermal decomposition, do not overheat Keep away from open flames, hot surfaces and sources of ignition
Incompatible materials	Strong oxidizing agents. Bases. Powdered earth metals.
Hazardous Decomposition Products	Carbon monoxide (CO). Carbon dioxide (CO ₂).

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral > 5000 mg/kg
 LD50 Dermal > 5000 mg/kg
 LC50 Inhalation (dust) > 3.03 mg/L 4 hr

Serious eye damage/eye irritation Moderately irritating to the eyes.
 Skin corrosion/irritation Moderately irritating.
 Sensitization Non-sensitizing.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Pyrethrins (8003-34-7)	= 200 mg/kg (Rat)	= 1350 mg/kg (Rat) = 2060 mg/kg (Rabbit) = 300 mg/kg (Rabbit)	= 3.4 mg/L (Rat) 4 h
Piperonyl butoxide (51-03-6)	= 4570 mg/kg (Rat) = 6150 mg/kg (Rat)	= 1880 mg/kg (Rabbit) > 7950 mg/kg (Rat)	> 5.9 mg/L (Rat) 4 h
n-Octyl bicycloheptene dicarboximide (113-48-4)	= 2800 mg/kg (Rat)	= 470 mg/kg (Rabbit) = 470 mg/kg (Rat)	
Benzeneacetic acid, 4-chloro-.alpha.-(1-methylethyl)-, cyano (3-phenoxyphenyl)methyl ester, (S-(R*,R*))-(66230-04-4)	= 325 mg/kg (Rat) = 75 mg/kg (Rat)	> 2 g/kg (Rabbit) > 2000 mg/kg (Rabbit) > 5 g/kg (Rat)	= 0.48 mg/L (Rat) 4 h
Propane (74-98-6)			> 800000 ppm (Rat) 15 min
Petroleum distillates, hydrotreated light (64742-47-8)	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Isobutane (75-28-5)			= 658 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Mutagenicity Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes.

Carcinogenicity n-Octyl bicycloheptene dicarboximide was negative in a chromosome aberration assay, .

Reproductive toxicity Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH)

STOT - single exposure No information available.

STOT - repeated exposure Not classified.

Target organ effects Not classified.

Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group showed preneoplastic changes, including enlargement of hepatocyte nuclei and multinucleated cells. Kidney damage was also seen.

Aspiration hazard No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Pyrethrins 8003-34-7		Group 2A		
Piperonyl butoxide 51-03-6		Group 3		
Benzeneacetic acid, 4-chloro-.alpha.-(1-methylethyl)-, cyano		Group 3		

(3-phenoxyphenyl)methyl ester, (S-(R*,R*))- 66230-04-4				
---	--	--	--	--

Legend:**IARC (International Agency for Research on Cancer)**

Group 2A - Probably Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Piperonyl butoxide (51-03-6)				
Active Ingredient(s)	Duration	Species	Value	Units
Piperonyl Butoxide	LC50	Fish	3.94	ppm
	LD50	Bee	25	µg/bee
	LD50	Bobwhite quail	>2250	mg/kg
	LD50	Mallard duck	>5620	ppm

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Piperonyl butoxide 51-03-6		96 h LC50: = 7.07 mg/L (Oncorhynchus mykiss) semi-static	
Sodium Benzoate 532-32-1		96 h LC50: 420 - 558 mg/L (Pimephales promelas) flow-through 96 h LC50: > 100 mg/L (Pimephales promelas) static	48 h EC50: < 650 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated light 64742-47-8		96 h LC50: = 2.2 mg/L (Lepomis macrochirus) static 96 h LC50: = 2.4 mg/L (Oncorhynchus mykiss) static 96 h LC50: = 45 mg/L (Pimephales promelas) flow-through	96 h LC50: = 4720 mg/L (Den-dronereides heteropoda)
Pyrethrins 8003-34-7		96 h LC50: 0.003 - 0.0046 mg/L (Lepomis macrochirus) flow-through 96 h LC50: 0.0031 - 0.0038 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 0.02 - 0.03 mg/L (Oncorhynchus mykiss) static 96 h LC50: 0.0322 - 0.0472 mg/L (Lepomis macrochirus) static 96 h LC50: 0.0425 - 0.121 mg/L (Pimephales promelas) flow-through 96 h LC50: 0.224 - 0.458 mg/L (Pimephales promelas) static 96 h LC50: = 0.054 mg/L (Oncorhynchus mykiss) 96 h LC50: = 0.074 mg/L (Lepomis macrochirus)	

Persistence and degradability No information available.**Bioaccumulation** No information available.**Mobility** No information available.**13. DISPOSAL CONSIDERATIONS****Waste disposal methods**

Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and packages

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION**DOT** Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation arrows.

UN/ID no	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard class	2.1
Description	UN1950, Aerosols, flammable, 2.1, Limited Quantity

TDG Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation arrows.

UN/ID no	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard class	2.1
Description	UN1950, Aerosols, flammable, 2.1, Limited Quantity

ICAO/IATA Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation arrows.

UN/ID no	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard class	2.1
Description	UN1950, Aerosols, flammable, 2.1, Limited Quantity

IMDG/IMO Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation arrows.

UN/ID no	UN1950
Proper Shipping Name	Aerosols
Hazard class	2.1
EmS No.	F-D, S-U
Description	UN1950, Aerosols, 2.1, Limited Quantity

15. REGULATORY INFORMATION**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Piperonyl butoxide - 51-03-6	51-03-6	0.1	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pyrethrins 8003-34-7	1 lb			

CERCLA

Residual Fogger

SDS #: 6596-A
Revision date: 2021-02-16
Version 1.05

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Pyrethrins 8003-34-7	1 lb 0.454 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Pyrethrins 8003-34-7	X	X	X
Piperonyl butoxide 51-03-6	X		
Propane 74-98-6	X	X	X
Isobutane 75-28-5	X	X	X

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Pyrethrins 8003-34-7		X	X		X	X	X	X
Piperonyl butoxide 51-03-6	X	X	X	X	X	X	X	X
n-Octyl bicycloheptene dicarboximide 113-48-4		X	X	X	X		X	X
Benzeneacetic acid, 4-chloro-.alpha.-(1-methylethyl)-, cyano (3-phenoxyphenyl)methyl ester, (S-(R*,R*))- 66230-04-4					X	X		X
Propane 74-98-6	X	X	X	X	X	X	X	X
Petroleum distillates, hydrotreated light 64742-47-8	X	X	X		X	X	X	X

Residual Fogger

SDS #: 6596-A
Revision date: 2021-02-16
Version 1.05

Isobutane 75-28-5	X	X	X	X	X	X	X	X
----------------------	---	---	---	---	---	---	---	---

CANADA
Not applicable

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 4	Instability 0	Special Hazards -
HMIS	Health Hazards 2	Flammability 4	Physical hazard 0	Personal Protection X

**Indicates a chronic health hazard.*

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2021-02-16
Reason for revision: SDS sections updated.

Disclaimer
FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user’s conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By: FMC Corporation

FMC Logo - Trademark of FMC Corporation
© 2021 FMC Corporation. All Rights Reserved.
End of Safety Data Sheet